

FENGYE PIPING (M) SDN. BHD.  
LOT 1294  
JALAN KPAT 1  
KAWASAN PERINDUSTRIAN AMPANG TAMBAHAN  
68000 AMPANG  
SELANGOR DARUL EHSAN  
(U/P: ENCIK JESPER TAY)

No. Tel : 60342979000  
No. Faks: 60342979001

Tuan,

**PERAKUAN PENYENARAIAAN PEMBEKAL UNTUK PRODUK-PRODUK KEGUNAAN INDUSTRI PERKHIDMATAN AIR**

Perkara di atas adalah dirujuk.

2. Sukacita dimaklumkan bahawa syarikat tuan **telah disenaraikan** sebagai pembekal produk-produk kegunaan industri perkhidmatan air seperti berikut:

Bil	No. Penyenaraian SPAN	Kegunaan	Produk	Jenama	Maklumat Sijil Barangan		
					No. Sijil	Standard	Tempoh Sah Laku
1	SPAN/BPI/300-10/1755/A/W-5	Sistem Bekalan Air	FITTINGS - POLYETHYLENE (PE / HDPE) FITTINGS - PE FUSION FITTINGS	FENGYE	WCMPC000028 Pengilang : ZHEJIANG FENGYE PIPE TECHNOLOGY CO., LTD.	MS 1058: PART 3: 2006	06 Jul 2021

3. Penyenaraian adalah **tertakluk sepenuhnya mengikut skop dan tempoh sahlaku sijil barangan** yang dikemukakan kepada SPAN. Penyenaraian ini juga tertakluk kepada syarat-syarat khusus yang telah ditetapkan seperti yang dinyatakan di dalam lampiran sekiranya ada [~~Ada~~ Tiada ].

4. Syarikat yang memasuki penyenaraian ini adalah **bertanggungjawab** untuk **memastikan bahawa sijil barangan adalah sah (valid)** pada sepanjang penyenaraian dan **mengemaskini maklumat sijil barangan** kepada SPAN setiap kali pembaharuan sijil dibuat atau sekiranya terdapat perubahan pada skop pensijilan.



5. **Kegagalan tuan untuk mematuhi keperluan (4) boleh menyebabkan syarikat tuan dikeluarkan daripada penyenaian tanpa sebarang notis.** Produk yang telah dikeluarkan daripada senarai penyenaian adalah tidak dibenarkan untuk diguna pakai dalam mana-mana sistem bekalan air atau pembedungan di Semenanjung Malaysia, Wilayah Persekutuan Putrajaya dan Labuan.

Sekian, terima kasih.

Yang benar,



( **ABDULL SUKOR BIN ISMAIL** )

Pengarah Kanan

Bahagian Pembangunan Industri

Suruhanjaya Perkhidmatan Air Negara (SPAN)



Registration Details

Print

SPAN Listing No. : 300-10/1755/A/W-5

Supplier : **FENGYE PIPING (M) SDN. BHD. - 1290947-T**

Manufacturer : ZHEJIANG FENGYE PIPE TECHNOLOGY CO., LTD. NO. 478, ZHONGYANG ROAD DIANKOU TOWN, ZHUJI CITY ZHEJIANG PROVINCE CHINA

Principal : FENGYE PIPING (M) SDN. BHD. LOT 1294 JALAN KPAT 1 KAWASAN PERINDUSTRIAN AMPANG TAMBAHAN

Category : A (WATER)

Group : CONVEYANCE OF WATER

Product : FITTINGS

Type : POLYETHYLENE (PE / HDPE) FITTINGS

Sub-type : PE FUSION FITTINGS

Details Information :

Model	Series	Description
BF End Cap	PE PN16 SDR11	Nominal Diameter (mm) : 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 & 630 joining with butt fusion
BF Equal Elbow 45deg	PE PN16 SDR11	Nominal Diameter (mm) : 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 & 630 joining with butt fusion
BF Equal Elbow 90deg	PE PN16 SDR11	Nominal Diameter (mm) : 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 & 630 joining with butt fusion
BF Equal Tee	PE PN16 SDR11	Nominal Diameter (mm) : 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 & 630 joining with butt fusion
BF Reducing Socket	PE PN16 SDR11	Nominal Diameter (mm) : 25x20, 32x20, 32x25, 40x20, 40x25, 40x32, 50x20, 50x25, 50x32, 50x40, 63x20, 63x25, 63x32, 63x40, 63x50, 75x20, 75x25, 75x32, 75x40, 75x50, 75x63, 90x25, 90x32, 90x40, 90x50, 90x63, 90x75, 110x32, 110x40, 110x50, 110x63, 110x75, 110x90, 125x50, 125x63, 125x75, 125x90, 125x110, 160x63, 160x75, 160x90, 160x110, 160x125, 180x63, 180x75, 180x90, 180x110, 180x125, 180x160, 200x63, 200x75, 200x90, 200x110, 200x125, 200x160, 200x180, 225x63, 225x75, 225x90, 225x110, 225x125, 225x160, 225x180, 225x200, 250x90, 250x110, 250x125, 250x160, 250x180, 250x200, 250x225, 280x90, 280x110, 280x125, 280x160, 280x180, 280x200, 280x225, 280x250, 315x90, 315x110, 315x125, 315x160, 315x180, 315x200, 315x225, 315x250, 315x280, 355x110, 355x125, 355x160, 355x180, 355x200, 355x225, 355x250, 355x280, 355x315, 400x110, 400x125, 400x160, 400x180, 400x200, 400x225, 400x250, 400x280, 400x315, 400x355, 450x110, 450x125, 450x160, 450x180, 450x200, 450x225, 450x250, 450x280, 450x315, 450x355, 450x400, 500x110, 500x125, 500x160, 500x180, 500x200, 500x225, 500x250, 500x280, 500x315, 500x355, 500x400, 500x450, 560x110, 560x125, 560x160, 560x180, 560x200, 560x225, 560x250, 560x315, 560x355, 560x400, 560x450, 560x500, 630x110, 630x125, 630x160, 630x180, 630x200, 630x225, 630x250, 630x315, 630x355, 630x400, 630x450, 630x500 & 630x560 joining with butt fusion
BF Reducing Tee	PE PN16 SDR11	Nominal Diameter (mm) : 25x20, 32x20, 32x25, 40x20, 40x25, 40x32, 50x20, 50x25, 50x32, 50x40, 63x20, 63x25, 63x32, 63x40, 63x50, 75x20, 75x25, 75x32, 75x40, 75x50, 75x63, 90x25, 90x32, 90x40, 90x50, 90x63, 90x75, 110x32, 110x40, 110x50, 110x63, 110x75, 110x90, 125x50, 125x63, 125x75, 125x90, 125x110, 160x63, 160x75, 160x90, 160x110, 160x125, 180x63, 180x75, 180x90, 180x110, 180x125, 180x160, 200x63, 200x75, 200x90, 200x110, 200x125, 200x160, 200x180, 225x63, 225x75, 225x90, 225x110, 225x125, 225x160, 225x180, 225x200, 250x90, 250x110, 250x125, 250x160, 250x180, 250x200, 250x225, 280x90, 280x110, 280x125, 280x160, 280x180, 280x200, 280x225, 280x250, 315x90, 315x110, 315x125, 315x160, 315x180, 315x200, 315x225, 315x250, 315x280, 355x110, 355x125, 355x160, 355x180, 355x200, 355x225, 355x250, 355x280, 355x315, 400x110, 400x125, 400x160, 400x180, 400x200, 400x225, 400x250, 400x280, 400x315, 400x355, 450x110, 450x125, 450x160, 450x180, 450x200, 450x225, 450x250, 450x280, 450x315, 450x355, 450x400, 500x110, 500x125, 500x160, 500x180, 500x200, 500x225, 500x250, 500x280, 500x315, 500x355, 500x400, 500x450, 560x110, 560x125, 560x160, 560x180, 560x200, 560x225, 560x250, 560x315, 560x355, 560x400, 560x450, 560x500, 630x110, 630x125, 630x160, 630x180, 630x200, 630x225, 630x250, 630x315, 630x355, 630x400, 630x450, 630x500 & 630x560 joining with butt fusion
BF Stub End / Flange Adaptor	PE PN16 SDR11	Nominal Diameter (mm) : 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 & 630 joining with butt fusion
EF End Cap	PE PN16 SDR11	Nominal Diameter (mm) : 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 & 630 joining with electrofusion
EF Equal Elbow 45deg	PE PN16 SDR11	Nominal Diameter (mm) : 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450 & 500 joining with electrofusion
EF Equal Elbow 90deg	PE PN16 SDR11	Nominal Diameter (mm) : 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 & 630 joining with electrofusion
EF Equal Socket	PE PN16 SDR11	Nominal Diameter (mm) : 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 & 630 joining with electrofusion
EF Equal Tee	PE PN16 SDR11	Nominal Diameter (mm) : 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 & 630 joining with electrofusion
EF Male Transition Socket	PE PN16 SDR11	Nominal Diameter (mm) : 32x1", 40x1-1/4", 50x1-1/2", 63x2", 75x2-1/2", 90x3", 110x4", 125x4", 160x4", 180x4", 200x4" & 225x4" joining with socket fusion

EF Reducing Socket	PE PN16 SDR11	Nominal Diameter (mm) : 32x20, 32x25, 40x20, 40x25, 40x32, 50x20, 50x25, 50x32, 50x40, 63x20, 63x25, 63x32, 63x40, 63x50, 75x20, 75x25, 75x32, 75x40, 75x63, 90x32, 90x40, 90x50, 90x63, 90x75, 110x40, 110x50, 110x63, 110x75, 110x90, 125x50, 125x63, 125x75, 125x90, 125x110, 160x63, 160x75, 160x90, 160x110, 160x125, 180x63, 180x75, 180x90, 180x110, 180x125, 180x160, 200x63, 200x75, 200x90, 200x110, 200x125, 200x160, 200x180, 225x63, 225x75, 225x90, 225x110, 225x125, 225x160, 225x180, 225x200, 250x90, 250x110, 250x125, 250x160, 250x180, 250x200, 250x225, 280x90, 280x110, 280x125, 280x160, 280x180, 280x200, 280x225, 280x250, 315x90, 315x110, 315x125, 315x160, 315x180, 315x200, 315x225, 315x250, 315x280, 355x110, 355x125, 355x160, 355x180, 355x200, 355x225, 355x250, 355x280, 355x315, 400x110, 400x125, 400x160, 400x180, 400x200, 400x225, 400x250, 400x280, 400x315, 400x355, 450x200, 450x225, 450x250, 450x280, 450x315, 450x355, 450x400, 500x200, 500x225, 500x250, 500x280, 500x315, 500x355, 500x400 & 500x450 joining with electrofusion
EF Reducing Tee	PE PN16 SDR11	Nominal Diameter (mm) : 32x20, 32x25, 40x20, 40x25, 40x32, 50x20, 50x25, 50x32, 50x40, 63x20, 63x25, 63x32, 63x40, 63x50, 75x20, 75x25, 75x32, 75x40, 75x63, 90x32, 90x40, 90x50, 90x63, 90x75, 110x40, 110x50, 110x63, 110x75, 110x90, 125x50, 125x63, 125x75, 125x90, 125x110, 160x63, 160x75, 160x90, 160x110, 160x125, 180x63, 180x75, 180x90, 180x110, 180x125, 180x160, 200x63, 200x75, 200x90, 200x110, 200x125, 200x160, 200x180, 225x63, 225x75, 225x90, 225x110, 225x125, 225x160, 225x180, 225x200, 250x90, 250x110, 250x125, 250x160, 250x180, 250x200, 250x225, 280x90, 280x110, 280x125, 280x160, 280x180, 280x200, 280x225, 280x250, 315x90, 315x110, 315x125, 315x160, 315x180, 315x200, 315x225, 315x250, 315x280, 355x110, 355x125, 355x160, 355x180, 355x200, 355x225, 355x250, 355x280, 355x315, 400x110, 400x125, 400x160, 400x180, 400x200, 400x225, 400x250, 400x280, 400x315, 400x355, 450x200, 450x225, 450x250, 450x280, 450x315, 450x355, 450x400, 500x200, 500x225, 500x250, 500x280, 500x315, 500x355, 500x400 & 500x450 joining with electrofusion
EF Stud End / Flange	PE PN16 SDR11	Nominal Diameter (mm) : 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 & 630 joining with electrofusion
SF End Cap	PE PN16 SDR11	Nominal Diameter (mm) : 20, 25 & 32 joining with socket fusion
SF Equal Elbow 45deg	PE PN16 SDR11	Nominal Diameter (mm) : 20, 25 & 32 joining with socket fusion
SF Equal Elbow 90deg	PE PN16 SDR11	Nominal Diameter (mm) : 20, 25 & 32 joining with socket fusion
SF Equal Socket	PE PN16 SDR11	Nominal Diameter (mm) : 20, 25 & 32 joining with socket fusion
SF Equal Tee	PE PN16 SDR11	Nominal Diameter (mm) : 20, 25 & 32 joining with socket fusion
SF Female Elbow	PE PN16 SDR11	Nominal Diameter (mm) : 20x1/2", 20x3/4", 25x1/2", 25x3/4" 25x1", 32x3/4" & 32x1" joining with socket fusion
SF Female Socket	PE PN16 SDR11	Nominal Diameter (mm) : 20x1/2", 20x3/4", 25x1/2", 25x3/4" 25x1", 32x3/4" & 32x1" joining with socket fusion
SF Female Tee	PE PN16 SDR11	Nominal Diameter (mm) : 20x1/2", 20x3/4", 25x1/2", 25x3/4" 25x1", 32x3/4" & 32x1" joining with socket fusion
SF Female Union	PE PN16 SDR11	Nominal Diameter (mm) : 20x1/2", 20x3/4", 25x1/2", 25x3/4" 25x1", 32x3/4" & 32x1" joining with socket fusion
SF Male Elbow	PE PN16 SDR11	Nominal Diameter (mm) : 20x1/2", 20x3/4", 25x1/2", 25x3/4" 25x1", 32x3/4" & 32x1" joining with socket fusion
SF Male Socket	PE PN16 SDR11	Nominal Diameter (mm) : 20x1/2", 20x3/4", 25x1/2", 25x3/4" 25x1", 32x3/4" & 32x1" joining with socket fusion
SF Male Tee	PE PN16 SDR11	Nominal Diameter (mm) : 20x1/2", 20x3/4", 25x1/2", 25x3/4" 25x1", 32x3/4" & 32x1" joining with socket fusion
SF Male Union	PE PN16 SDR11	Nominal Diameter (mm) : 20x1/2", 20x3/4", 25x1/2", 25x3/4" 25x1", 32x3/4" & 32x1" joining with socket fusion
SF PE Union	PE PN16 SDR11	Nominal Diameter (mm) : 20x1/2", 20x3/4", 25x1/2", 25x3/4" 25x1", 32x3/4" & 32x1" joining with socket fusion
SF Reducing Elbow	PE PN16 SDR11	Nominal Diameter (mm) : 25x20, 32x20 & 32x25 joining with socket fusion
SF Reducing Socket	PE PN16 SDR11	Nominal Diameter (mm) : 25x20, 32x20 & 32x25 joining with socket fusion
SF Reducing Tee	PE PN16 SDR11	Nominal Diameter (mm) : 25x20, 32x20 & 32x25 joining with socket fusion
SF Stop Valve	PE PN16 SDR11	Nominal Diameter (mm) : 20, 25 & 32 joining with socket fusion
SF Stud End / Flange	PE PN16 SDR11	Nominal Diameter (mm) : 20, 25 & 32 joining with socket fusion

Brands : FENGYE

Standard : MS 1058: PART 3: 2006

: WCMPC000028

Certificate body & Certificate No

: FITTINGS-POLYETHYLENE (PE / HDPE) FITTINGS-PE FUSI

Certification Scope

Valid Until : 2021/07/06